Declaration of Performance

No. NRPCE-CP02-01



- 1. Unique identification code of the product-type:
 - Cleanpoxy SP Lining

(Cleanpoxy DNY-200 + Cleanpoxy DHDC-6200(K) + Cleanpoxy solvent top clear)

- 2. Intended use/es:
 - surface protection products coating for Concrete protection and repair products for uses in buildings and civil engineering works
 - moisture control (2.2) and
 - increasing resistivity (8.2)
- 3. Manufacturer:

NOROO Paint & Coatings CO.,LTD

351, BakDal-ro, ManAn-gu, AnYang-Si, GyeongGI-Do, Republic of Korea

4. Authorised representative:

Not relevant

5. System/s of AVCP

System 2+ (for intended use in buildings and civil engineering structures)

System 4, Class F (for application purposes subject to regulations on reaction to fire)

6a. Harmonised standard:

EN 1504-2: ZA 1e and EN 1504-8

Notified body/ies: NB number :1922

"Dedal - Attestation and Certification" Ltd.

parter, 50 block, j.k. "Mladost" 8230 Nesebar Bulgaria

Phone: +359887639878

Fax: +35955444008

Email: office@dedal-bg.net
Website: www.dedal-bg.net

6b. European Assessment Document: Not relevant

European Technical Assessment: Not relevant

Technical Assessment Body: Not relevant

Notified body/ies: Not relevant



7. Declared performance/s: EN1504-2, Table ZA1.e

Essential characteristics		Performance	Harmonised technical Specification	
Water vapour permeability	5.2,Table 5 (7)	Class II		
Capillary absorption and permeability to water	5.2,Table 5 (8)	< 0.1 kg/m ² h ^{0.5}		
Adhesion strength by pull off test	5.2,Table 5 (15)	NPD		
Linear shrinkage(where relevant)	5.2,Table 5 (1)	NPD		
Coefficient of thermal expansion (where relevant)	5.2,Table 5 (3)	NPD		
Cross cut (where relevant)	5.2,Table 5 (5)	NPD		
Thermal compatibility(where relevant)	5.2,Table 5 (9)	NPD	EN 1504-2	
Crack bridging ability(where relevant)	5.2,Table 5 (13)	NPD		
Reaction to fire	5.2,Table 5 (16)	NPD		
Skid resistance (where relevant)	5.2,Table 5 (18)	NPD		
Artificial weathering (where relevant)	5.2,Table 5 (20)	NPD		
Antistatic behaviour (where relevant)	5.2,Table 5 (21)	NPD		
Adhesion on wet concrete(where relevant)	5.2,Table 5 (22)	NPD		
Dangerous substances	5.4	NPD		
Reaction to fire after application	-	Class F	EN 1504-8, 5.2 and 5.3	

Note: The above performances are based on the below system application

System	sub-product(1st layer)	sub-product(2nd layer)	sub-product(3rd layer)
Cleanpoxy	Cleanpoxy DNY-200	Cleanpoxy 3100	-
Coating System			
Cleanpoxy	Cleanpoxy DNY-200	Cleanpoxy DHDC-6200(K)	Cleanpoxy solvent top clear
SP Lining			
Cleanpoxy	Cleanpoxy DHDC-6500	Cleanpoxy DHDC-6200(K)	Cleanpoxy solvent top clear
SFP Lining			

8. Appropriate Technical Documentation and/or Specific Technical Documentation:

N/A

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

[name]

[place]

123-86-06034

At

(주) 노루테인트 진명호,김용기

On

안양시 만안구 박달로 351

[date of issue] A 3

5

至 是

[signature]

Manufacturer (Manager)

 ϵ

Month. Day. Year / 09 (19, 2019

Sign Sign